L Number	Hits		DB	Time stamp
1	18645497	@ad<19991230	USPAT;	2004/09/28 12:37
		·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
0	1	0.1410001030	IBM_TDB	2004/00/00 12 01
2	1	(USPAT;	2004/09/28 13:01
		phone)) and provisioning adj server same	US-PGPUB;	
	ļ	encrypt\$5	EPO; JPO;	
		,	DERWENT; IBM TDB	
3	. 3	@ad<19991230 and provisioning adj server	USPAT;	2004/09/28 12:44
J		same encrypt\$5	US-PGPUB;	2004/03/28 12.44
		June Cherypeys	EPO; JPO;	
			DERWENT;	
			IBM TDB	
4	8	@ad<19991230 and (mobile adj (station	USPĀT;	2004/09/28 13:01
		phone)) and authentication adj server same	US-PGPUB;	
		encrypt\$5	EPO; JPO;	
			DERWENT;	
			IBM TDB	
5	0	The second secon	USPAT;	2004/09/28 13:01
	1	phone)) and provisioning and unprovisioned	US-PGPUB;	
		T i	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6	0	((USPAT;	2004/09/28 13:01
		phone)) and unprovisioned	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
0	4.1	0-4410001220 1 (' 2) 1	IBM_TDB	2004/20/20 12 22
9	41	· · · · · · · · · · · · · · · · · · ·	USPAT;	2004/09/28 13:03
		authentication adj server same encrypt\$5	US-PGPUB;	
			EPO; JPO; DERWENT;	
		·	IBM TDB	
7	1	@ad<19991230 and (wireless) and	USPAT;	2004/09/28 13:03
•	1	provisioning adj server same encrypt\$5	US-PGPUB;	2004/03/20 13:03
		Providenting and solver same energipers	EPO; JPO;	
			DERWENT;	
		·	IBM TDB	• !
8	4	@ad<19991230 and (wireless) and	USPAT;	2004/09/28 13:03
		provisioning and unprovisioned	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	146	samsung and mobile and ip	USPAT;	2003/10/27 14:25
			US-PGPUB	
-	9	samsung and mobile and ip and provisioning	USPAT;	2003/10/15 15:20
		#C151C20# DN	US-PGPUB	0000/10/15 15 11
_	1		USPAT	2003/10/15 15:11
-	1	mobile with IP with unprovisioned	USPAT;	2003/10/23 11:30
	1	mobile with TD with /www.agaaamad	US-PGPUB	2002/10/17 00 22
-	1	mobile with IP with (unprogrammed unregistered "not registered" "not	USPAT; US-PGPUB	2003/10/17 08:32
	1	provisioned")	US-FGFUB	•
<u>-</u>	6		USPAT;	2003/10/23 08:56
		6526033.pn.	US-PGPUB	2003/10/23 08:36
		6496505.pn.	OD LOEOD	
		6493551.pn.		
	1	6490451.pn.		
		6434134.pn.		
_	1	"6151628".PN.	USPAT	2003/10/22 16:16
	1	"6118778".PN.	USPAT	2003/10/22 16:19
_	1	"6363249".PN.	USPAT	2003/10/22 16:25
	1	"6301484".PN.	USPAT	2003/10/22 16:26
_	1			
	1	"6269244".PN. "5915225".PN.	USPAT	2003/10/22 16:27

	2	6141544.pn.	USPAT;	2003/10/22	16:49
			US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
_	68079	mobile same station	IBM_TDB USPAT;	2003/10/22	16.40
-	00079	MODITE Same Station	US-PGPUB;	2003/10/22	10:49
			EPO; JPO;		
			DERWENT;		
		·	IBM TDB		
_	44523	(mobile same station) and @ad<19991230	USPAT;	2004/09/28	12:19
			US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
			IBM_TDB		
***	39	, , , , , , , , , , , , , , , , , , , ,	·USPAT;	2003/10/23	08:21
		station)) same encrypt	US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
		TD 111 (1 - 11 - 11 - 11 - 11 - 11 - 11 -	IBM_TDB	0000 (10 (00	00 00
-	. 6	IP with (base adj station) with encrypt	USPAT;	2003/10/23	08:22
			US-PGPUB; EPO; JPO;		1
			DERWENT;		
			IBM TDB		
_	110	IP with (base adj station) with receive	USPAT;	2003/10/23	08:22
			US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
			IBM TDB		
-	19	(=== = (USPAT;	2003/10/23	08:47
		and @ad<19991230	US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
	15516		IBM_TDB		
_	15616	wireless adj network	USPAT;	2003/10/23	08:47
			US-PGPUB;		
			EPO; JPO; DERWENT;		
			IBM TDB		
_	86	base adj station with encrypt	USPAT;	2003/10/23	08.47
}		base day seasion with energy	US-PGPUB;	2003/10/23	00,47
		·	EPO; JPO;	•	ŀ
			DERWENT;		
			IBM TDB		
-	8		USPAT;	2003/10/23	09:57
		station with encrypt) and (((mobile adj	US-PGPUB;		
		station) with (base adj station)) same	EPO; JPO;		
		encrypt)	DERWENT;		
	210	 380/270.ccls. and @ad<19991230	IBM_TDB	2002/10/02	00.50
-	219	300/270.0018. and @ad<19991230	USPAT; US-PGPUB	2003/10/23	08:28
_	89	(380/270.ccls. and @ad<19991230) and (base	USPAT;	2003/10/23	09.07
	0,3	adj station router hub)	US-PGPUB	2003/10/23	02.01
-	1368	(cellular mobile) adj (phone telephone)	USPAT;	2003/10/23	09:09
		and IP and internet and @ad<19991230	US-PGPUB	200, 10, 20	
_	486		USPAT;	2003/10/23	09:11
		and IP and internet and @ad<19991230 and	US-PGPUB		
		base adj station			1
-	88	(cellular mobile) adj (phone telephone)	USPAT;	2003/10/23	09:53
		and IP adj packet and internet and	US-PGPUB		}
	_	@ad<19991230 and base adj station	T		
-	1	(cellular mobile) adj (phone telephone)	USPAT;	2003/10/23	09:56
1		and IP adj packet and internet, and	US-PGPUB		0
		@ad<19991230 and base adj station with encrypt\$5			
_	50	encrypts5 @ad<19991230 and IP with receiv\$4 with	HCDAT.	2003/10/22	10.07
		base adj station	USPAT; US-PGPUB;	2003/10/23	10:01
			EPO; JPO;		
			DERWENT;		
			IBM TDB		

-	9	(@ad<19991230 and IP with receiv\$4 with base adj station) and encrypt\$5	USPAT; US-PGPUB;	2003/10/23 10:01
			EPO; JPO; DERWENT; IBM TDB	
	36	@ad<19991230 and IP with base adj station and encrypt\$5	USPAT; US-PGPUB; EPO; JPO;	2003/10/23 10:25
			DERWENT; IBM TDB	2003/10/23 10:40
_	0	@ad<19991230 and unprovisioned and base adj station	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/23 10:40
_	. 384	@ad<19991230 and (provisioned unprovisioned provisioning) and base adj station	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/23 10:47
-	49	@ad<19991230 and (provisioned unprovisioned provisioning) and base adj station and encrypt	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/23 10:50
-	5	encrypt same (mobile adj switching adj center) and @ad<19991230	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/23 11:11
_	1		IBM_TDB USPAT	2003/10/23 11:09
_	1 1736		USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/23 11:09 2003/10/23 11:18
_	2	6,496,505.pn.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/23 11:18
-	13	"6092110".PN. (provision provisioning unprovisioned) same IP same mobile adj station and	IBM_TDB USPAT USPAT; US-PGPUB	2003/10/23 11:26 2003/10/23 11:44
_	1	@ad<19991230 5,708,655.pn.	USPAT;	2003/10/23 11:36
_	0	"over the air" and \$provision\$	US-PGPUB USPAT;	2003/10/23 11:44
_	0	"over the air" and provision\$4	US-PGPUB USPAT; US-PGPUB	2003/10/23 11:44
- -	1167	ota and provision\$4	USPAT; US-PGPUB	2003/10/23 11:45
_	1167	"ota" and provision\$4	USPAT; US-PGPUB	2003/10/23 11:45
-	26022	wireless and provision\$4	USPAT; US-PGPUB	2003/10/23 11:45
_	4114	mobile same provision\$4	USPAT; US-PGPUB	2003/10/23 11:45
_	60	(mobile same provision\$4) and @ad<19991230 and encrypt	USPAT; US-PGPUB	2003/10/23 12:09
_	312	provisioning with ip	USPAT; US-PGPUB	2003/10/23 12:09
_	83	(provisioning with ip) and @ad<19991230	USPAT; US-PGPUB	2003/10/23 12:10
_	18588739	@ad<19991230	USPAT; US-PGPUB; EPO; JPO;	2003/10/27 11:51
			DERWENT; IBM TDB	

Page 3

_	694	mobile and ip and encrypt\$5 and	USPAT;	2003/10/27 11:54
		@ad<19991230	US-PGPUB;	
	1		EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
-	225		USPAT;	2003/10/27 11:54
		@ad<19991230) and base adj station	US-PGPUB;	
	-		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	41	1 (/ L arra - L arra arra-1 L - L arra-	USPAT;	2003/10/27 11:54
		@ad<19991230) and base adj station) and ip	US-PGPUB;	
		adj packet	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
- •	98		USPAT	2003/10/27 12:13
_	2	6587684.pn.	USPAT;	2003/10/27 12:58
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3366	HLR (home adj location adj register)	USPAT;	2003/10/27 14:26
		X	US-PGPUB	
_	7		USPAT;	2003/10/27 14:29
		same (unprovisioned unactivated)	US-PGPUB	
_	114		USPAT;	2003/10/27 14:29
		same (provisioning unprovisioned	US-PGPUB	
		unactivated)		
-	55		USPAT;	2003/10/27 14:29
		same (provisioning unprovisioned	US-PGPUB	
1,		unactivated) and @ad<19991230		
	18634265	@ad<19991230	USPAT;	2004/04/07 10:02
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	İ
		0 1410001000	IBM_TDB	2004/04/07 10 11
_	2		USPAT;	2004/04/07 10:14
		with decrypt\$6	US-PGPUB;	,
			EPO; JPO;	
			DERWENT;	
		0-4/10001220	IBM_TDB	2004/04/07 10 17
	2		USPAT;	2004/04/07 10:17
	*	with decrypt\$6	US-PGPUB;	
	- 5.0		EPO; JPO;	
			DERWENT;	
		Rad < 10001230 and provide = = = = = /==	IBM_TDB	2004/04/07 10:00
_	2		USPAT;	2004/04/07 10:20
		module unit) with decrypt\$6	US-PGPUB;	
		*	EPO; JPO;	
			DERWENT;	
		· ·	IBM TDB	